# PGP-UK Genomics Report for ukA2FF31

### 1 Summary

This is the genome report was produced using collaborative research tools, including SNPedia and GetEvidence. This section shows an overview of all the small variants which were found in the genome for this individual, when compared with a reference genome. These variants are summarised in Table 1 and the pie-charts in Figures 2, 3 and 4.

This report was generated automatically and is not clinically approved. It is provided for <u>personal and research purposes</u> only.

This document contains hyperlinks, shown in grey, that will take you to external websites where you can find more detailed explanations. Some of the technical terms are also explained in more detail in the Ensembl Glossary. We would welcome your feedback about this report, for example, if you would like more information about anything or if any of the links have become inactive. You can contact us on: pgp-uk@ucl.ac.uk.

This summary shows an overview of all the variants which were found in the genome for this individual. The "variants remaining after filtering" refers to any differences in the DNA identified when compared to the reference genome. Of these, the majority will have already been found in some other sequenced individual and put on a database (existing variants) while others have not yet been annotated (novel variants).

"Overlapped genes" refers to the number of times where a variant was found in a region of the genome containing a gene. The diagram in Figure 1 is a simplification of the usual gene structure. "Exon" refers to the part of the gene which goes on to form a protein, and variants in this part of the gene are more likely to cause changes in the shape of the protein. Upstream, downstream, intronic and intergenic variants are more likely to alter the regulation of that gene but will not change the protein itself.

A transcript for a protein-coding gene can include the exons, introns and other gene features that are transcribed and important for gene function but might not be translated into the final protein. Not all transcripts are for protein-coding genes, with many containing non-coding RNAs that can be overlapping other genes, in introns or in intergenic regions.




Figure 1: Diagram of gene structure indicating locations of potential variants

Feature	Count
Lines of input read	4891650
Variants filtered out	0
Novel / existing variants	470171 (9.6) / 4409250 (90.4)
Overlapped genes	56713
Overlapped transcripts	67487
Overlapped regulatory features	165716

Table 1: Variant calling summary

There are several different types of genomic variants. The most common change is when one single building block of the DNA (called a nucleotide) is changed, called a single nucleotide variants (SNV). Other variant types include insertions, where the DNA in the individual is longer than the reference sequence due to the insertion of one or more nucleotides; and deletions, where a few nucleotides are missing compared to the reference sequence.

Some of these changes will have no effect on the protein, while some changes may alter the protein function to varying degrees. The PolyPhen analysis software attempts to quantify the effect each mutation will have on the protein function. This ranges from "benign" where no change to the protein function is expected, to "probably damaging" where it is predicted that the mutation will affect protein function. It is nevertheless important to note that what is "damaging" for the protein is not necessarily damaging for the individual.




Figure 2: PolyPhen Summary

Figure 3: Variant Class




Figure 4: Consequence type

## 2 Ancestry

This plot shows the distribution of the genomes of different populations. Data from several studies which used whole genome sequencing was used to see the relationships between the genomes of the populations. It shows how closely related certain populations are genetically: Groups which cluster closely are more genetically similar than groups which are further apart. The black star symbol shows where this PGP-UK participant sits in relation to other populations, indicating their ancestry and their most closely related populations according to genetic sequence.

Based on the populations defined in the 1000 genomes project (1kGP), the ancestry composition for this individual is inferred to be 100.0 percent European [British in England and Scotland].

Please note that this analysis is limited by the populations available in the 1kGP data. If there are European subpopulations reported, and the ancestry of the participant does not correspond to any of the 1kGP populations, the closest 1kGP sampled subpopulation will be shown (even though it might be different from the participant's actual ancestry).

## **Ancestry ukA2FF31**




Figure 5: Ancestry Principal Component Analysis

### 3 Traits (based on SNPedia information)

Existing research has associated many variants with phenotypic traits, some of which can be perceived as beneficial while others appear to have a harmful effect. Some traits are complex and can be affected by several variants. It is likely that some of these would confer a higher risk while others a lower risk of trait manifestation. These can not be combined linearly to produce an actual risk of disease.

It is important to note that in most cases genomic data is probabilistic, not deterministic- i.e. having a genetic predisposition for a disease is not a diagnosis; rather, it shows an increased likelihood of developing that disease. Also, one person can have both potentially beneficial and harmful variants in the same gene, or associated with the same disease.

Some variants can also affect certain populations more, or will only affect a particular gender. For example, a variant for higher risk of endometriosis in the sequence of a male will not directly affect that person, but can be passed on to descendants.

While many traits are the result of a unique variant, many are the combination of several variants throughout the genome. In SNPedia, these are called genosets. These can integrate some of the information already present in the single variant tables, or be the combination of variants that have no phenotypic effect on their own, but contribute to a trait when together.

The variants in the following tables are sorted by magnitude. This is an subjective measure defined in SNPedia to highlight the perceived importance of the genotype described. At the moment this scale goes from 0 to 10. You can read more about it by visiting their explanatory webpage.

As our knowledge grows, the interpretation of the effect of certain variants might change. Clicking on the links in the genome report tables will take you to websites containing more information about each variant.

#### 3.1 Possibly Beneficial Traits

Mag.	Identifier	Genotype	Summary	ExAC	GetEvidence	ClinVar
2.1	rs2511989	(A;G)	0.63x decreased age-related macular degeneratio		Link	
2.1	rs3775291	(A;G)	0.71x decreased risk for dry age related macula	Link	Link	Link
2	rs10503669	(A;C)	Associated with higher HDL cholesterol		Link	
2	rs10504861	(A;G)	Reduced risk of migraine without aura			
2	rs11045585	(A;A)	24% chance (lower than average) of docetaxel-in		Link	
2	rs12678919	(A;G)	Associated with higher HDL cholesterol		Link	
2	rs1799884	(G;G)	Mothers have typical Birth-Weight babies. Sligh			
2	rs1864163	(A;G)	Associated with higher HDL cholesterol		Link	
2	rs3750817	(C;T)	0.78x reduced risk for breast cancer			
2	rs4149268	(G;G)	Associated with higher HDL cholesterol		Link	
2	rs6505162	(A;C)	0.58x decreased risk for esophageal cancer	Link		
2	rs6855911	(A;G)	0.62x decreased risk for gout		Link	
2	rs7216389	(C;C)	0.69x lower risk of Childhood Asthma.		Link	
2	rs763110	(C;T)	~0.80x reduced cancer risk			Link
2	rs801114	(T;T)	0.78x decreased Basal Cell Carcinoma risk.		Link	
2	rs9272346	(A;G)	0.3x risk type-1 diabetes		Link	
2	rs9525638	(C;C)	Stronger bones			
2	rs9642880	(G;G)	Slightly lower risk of Bladder Cancer.		Link	
1.8	rs3814113	(C;T)	0.8x decreased risk for ovarian cancer		Link	
1.6	rs10801935	(C;C)	0.3x decreased risk of breast cancer			
1.6	rs3775948	(C;C)	Slightly lower risk for gout			
1.5	rs1026732	(A;G)	0.70x risk for restless legs		Link	
1.5	rs1063192	(C;C)	0.71x reduced risk of myocardial infarction			
1.5	rs11136000	(T;T)	0.84x decreased risk for Alzheimer's disease		Link	
1.5	rs11212617	(A;C)	Somewhat increased likelihood of treatment succ			Link
1.5	rs11635424	(A;G)	0.70x risk for restless legs		Link	
1.5	rs12593813	(A;G)	0.71x risk for restless legs		Link	

Mag.	Identifier	Genotype	Summary	ExAC	GetEvidence	ClinVar
1.5	rs3784709	(C;T)	0.71x risk of developing restless legs syndrome		Link	
1.5	rs3790844	(C;T)	Slightly reduced risk (0.77x) for pancreatic ca			
1.5	rs3851179	(A;A)	0.85x decreased risk for Alzheimer's disease		Link	
1.5	rs4149274	(C;C)	Associated with higher HDL (good) cholesterol.			
1.5	rs4489954	(G;T)	0.69x risk risk of developing restless legs syn		Link	
1.5	rs4939883	(C;C)	Associated with higher HDL cholesterol		Link	
1.4	rs2294008	(C;C)	Lower risk of gastric and bladder cancer	Link	Link	
1.4	rs6700125	(C;C)	0.7x decreased risk for ALS			
1.4	rs9402571	(G;T)	Slightly decreased risk for type-2 diabetes			
1.2	rs11172113	(C;C)	0.8x lower risk for migraines			
1.2	rs4320932	(A;G)	0.87x decreased risk for ovarian cancer			
1.1	rs2293347	(G;G)	Among NSCLC patients: better Gefitinib response	Link		Link
1.1	rs4988235	(T;T)	Can digest milk			Link
1	rs10248420	(A;G)	7x more likely to respond to certain antidepres		Link	
1	rs182549	(T;T)	Can digest milk.			Link
1	rs2952768	(C;T)	Slightly less drug dependence: decreased effect			Link
1.0	rs11246226	(C;C)	Decreased risk of schizophrenia in limited stud		Link	
1.0	rs2283123	(C;T)	Decreased risk of schizophrenia in limited stud			
0	rs1047781	(A;A)	ABH blood group "Secretor" status if Japanese	Link	Link	Link
0	rs12252	(T;T)	More resistant to influenza	Link		Link
0	rs16990018	(A;A)	PrP Codon 171 Asn - Non-pathogenic variant	Link		Link
0	rs17244841	(A;A)	More responsive to statin treatment		Link	Link
0	rs1799782	(C;C)	Lower risk for skin cancer	Link	Link	
0	rs1800562	(G;G)	Not a C282Y hemochromatosis carrier.	Link	Link	Link
0	rs242941	(G;G)	Better response to inhaled corticosteroid in pa		Link	
0	rs28933385	(G;G)	Prion protein Codon 200 (E) - Non pathogenic va			Link
0	rs5065	(A;A)	1.12x risk on diuretic; if hypertensive: better	Link	Link	Link
0	rs6259	(G;G)	Best inverse correlation between tea-drinking:	Link	Link	
0	rs74315403	(G;G)	PrP codon 178 (D) - non pathogenic variant			Link
0	rs7495174	(A;A)	Blue/gray eyes more likely		Link	
0	rs9951307	(A;G)	0.10 decreased risk for brain edema after a str			

# 3.2 Possibly Harmful Traits

Mag.	Identifier	Genotype	Summary	ExAC	GetEvidence	ClinVar
3.5	rs28933390	(G;T)	Pseudocholinesterase Deficiency carrier	Link	Link	Link
3	rs10897346	(C;C)	If depressed: 2.6x more likely to not respond t			
3	rs1801282	(C;G)	Unconfirmed higher risk of cardiovascular disea	Link	Link	Link
3	rs2237717	(T;T)	Reduced abilities related to neurocognition and			
3	rs2306402	(C;C)	1.18x increased risk for late-onset Alzheimer's			
3	rs2981582	(C;T)	1.3x higher risk of ER+ breast cancer		Link	
3	rs3738579	(T;T)	1.5x - 2x increased risk for cervical cancer: H			
3	rs7754840	(C;G)	1.3x increased risk for type-2 diabetes		Link	
2.8	rs3780374	(A;A)	Substantially increased odds of developing V617			
2.7	rs10830963	(C;G)	Increased type-2 diabetes risk; higher gestatio		Link	
2.6	rs110419	(A;A)	2.6x increased risk for neuroblastoma			
2.5	rs10484554	(C;T)	2.8x increased risk for psoriasis		Link	
2.5	rs10490924	(G;T)	2.7x risk for age related macular degeneration	Link	Link	Link
2.5	rs1121980	(C;T)	1.67x risk for obesity		Link	
2.5	rs13266634	(C;T)	Increased risk for type-2 diabetes	Link	Link	Link
2.5	rs1421085	(C;T)	~1.3x increased obesity risk		Link	Link
2.5	rs16969968	(A;G)	Slightly higher risk for nicotine dependence: 1	Link	Link	Link
2.5	rs187238	(G;G)	Hypertension increases risk 3.75x for sudden ca			
2.5	rs2241880	(C;C)	2x-3x increased risk for Crohn's disease in Cau	Link	Link	Link
2.5	rs2254958	(C;C)	1.61x increased risk for Alzheimer's			
2.5	rs339331	(T;T)	Prostate cancer risk			
2.5	rs3738919	(C;C)	1.94x risk of developing rheumatoid arthritis			
2.5	rs5888	(C;T)	3x higher risk for age-related macular degenera	Link		
2.5	rs613872	(G;G)	~20-30x higher risk for Fuchs' dystrophy: a cor			
2.5	rs664143	(C;T)	Higher risk for number of cancers			
2.5	rs8034191	(C;T)	1.27x lung cancer risk		Link	
2.5	rs891512	(A;G)	Higher blood pressure than G;G	Link		
2.5	rs9934438	(A;A)	Coumadin resistance		Link	Link
2.3	rs2143340	(C;C)	> 2x risk of dyslexia and poor reading performa			
2.2	rs2231137	(G;G)	~1.5-3x increased risk for ischemic stroke	Link	Link	Link
2.2	rs944289	(T;T)	1.69x increased thyroid cancer risk		Link	
2.1	rs10427255	(C;C)	Highest odds of photic sneeze reflex			
2.1	rs10811661	(T;T)	1.2x increased risk for type-2 diabetes		Link	
2.1	rs11887534	(C;G)	2x increased risk for gallstones	Link	Link	Link
2.1	rs1329428	(G;G)	2x increased risk for macular degeneration			
2.1	rs17070145	(C;C)	Reduced memory abilities			Link
2.1	rs17563	(C;C)	Risk for otosclerosis	Link	Link	Link
2.1	rs2270641	(G;G)	3.7x higher risk for schizophrenia	Link	Link	
2.1	rs380390	(C;C)	Increased risk for ARMD		Link	
2.1	rs4363657	(C;T)	4.5x increased myopathy risk for statin users		Link	
2.1	rs5186	(A;C)	~1.4x increased risk of hypertension	Link	Link	Link
2.1	rs646776	(A;A)	1.2x risk of coronary artery disease		Link	
2.1	rs7837688	(G;T)	1.7x increased risk for prostate cancer			
2.1	rs795484	(A;G)	Increased morphine dose requirement and postope			
2	rs10086908	(C;T)	1.7x increased risk for prostate cancer			
2	rs10090154	(C;T)	1.4x increased risk for prostate cancer			
2	rs1045642	(C;T)	Slower metaboliser for some drugs	Link	Link	Link
2	rs1050152	(C;T)	2.1x increased risk of Crohn's disease	Link	Link	Link
2	rs1051730	(C;T)	1.3x increased risk of lung cancer	Link	Link	Link
2	rs10984447	(A;A)	>1.17x increased risk for multiple sclerosis		Link	
2	rs11171739	(C;C)	1.75x risk of developing Type-1 diabetes		Link	
2	rs11190870	(C;T)	Possibly increased risk of scoliosis			
2	rs1160312	(A;A)	1.6x increased risk of Male Pattern Baldness.		Link	

Mag.	Identifier	Genotype	Summary	ExAC	GetEvidence	ClinVar
2	rs11983225	(T;T)	7x less likely to respond to certain antidepres		Link	
2	rs1219648	(A;G)	1.20x risk for breast cancer		Link	
2	rs12567232	(A;G)	Increased risk for Crohn's Disease		Link	
2	rs17001266	(-;C)	1.58x increased risk for schizophrenia in males			
2	rs17228212	(C;T)	1.26x increased risk for heart disease		Link	
2	rs17435	(T;T)	1.4x increased risk for lupus			
2	rs17696736	(A;G)	1.34x risk of type-1 diabetes		Link	
2	rs1800896	(A;G)	1.6x increased prostate cancer risk			
2	rs2066843	(T;T)	4.09x higher risk for Crohn's disease	Link	Link	
2	rs2073963	(G;T)	Increased risk of baldness			
2	rs2156921	(A;G)	1.29x increased risk for depression			
2	rs2201841	(C;T)	1.5x increased risk for Crohn's disease; 2x inc		Link	
2	rs2230201	(G;G)	>1.4x risk of lupus	Link		
2	rs2235015	(G;G)	Somewhat less likely to respond to certain anti	Link	Link	
2	rs2235040	(G;G)	7x less likely to respond to certain antidepres	Link	Link	
2	rs2235067	(G;G)	7x less likely to respond to certain antidepres			
2	rs2305480	(C;T)	3.5x increase in risk of asthma for Han Chinese	Link	Link	
2	rs2305795	(A;G)	1.28x higher risk of narcolepsy compared to (G;			Link
2	rs241448	(C;T)	1.51x increased risk for Alzheimer's	Link		Link
2	rs2420946	(C;T)	1.20x risk for breast cancer			
2	rs25487	(G;G)	2x higher risk for skin cancer; possibly other	Link	Link	Link
2	rs27388	(A;A)	Increased risk of developing schizophrenia			
2	rs351855	(C;T)	1.2x increased risk for prostate cancer	Link	Link	Link
2	rs358806	(C;C)	1.78x increased risk of developing Type-2 diabe		Link	
2	rs4148739	(A;A)	7x less likely to respond to certain antidepres		Link	
2	rs4242382	(A;G)	1.7x increased risk for prostate cancer		Link	
2	rs4444903	(A;G)	3.5x risk of hep-cancer in cirrhosis patients;		231111	Link
2	rs4633	(T;T)	Higher risk for endometrial cancer	Link	Link	Link
2	rs4792311	(A;G)	Increased risk of prostate cancer	Link	Link	Link
2	rs493258	(G;G)	1.15x risk of Age Related Macular Degeneration	231111	231111	
2	rs520354	(A;G)	Increased risk in men for biliary conditions			
2	rs587776825	(-;C)	Associated with MODY3; maturity onset of diabet	Link		Link
2	rs6457617	(C;T)	2.3x risk of rheumatoid arthritis	1311111	Link	231111
2	rs662799	(A;G)	1.4x higher early heart attack risk; less weigh		Link	
2	rs663048	(G;T)	Significantly increased risk of developing lung	Link	Link	
2	rs6896702	(T;T)	Increased risk of developing Parkinson's Diseas	Dillik	Ziiii	
2	rs6897932	(C;C)	1.08x increased risk for multiple sclerosis	Link	Link	Link
2	rs6997709	(G;T)	1.2x higher risk for hypertension			111111
2	rs699	(C;T)	Increased risk of hypertension	Link	Link	Link
2	rs7442295	(A;A)	~4x higher risk for hypertracemia		Link	111111
2	rs7536563	(A;A)	>1.12x risk of multiple sclerosis		Link	
2	rs7807268	(C;G)	1.3x risk for Crohn's disease		Link	
2	rs7923837	(G;G)	3.2x risk for T2D		211111	
2	rs7961152	(A;A)	1.5x higher risk for hypertension			
2	rs800292	(C;C)	5% higher risk of Age related macular degenerat	Link	Link	Link
2	rs828907	(T;T)	Increased risk of bladder cancer and 2x risk of			
2	rs854560	(A;T)	Higher risk for heart disease: diabetic retinop	Link	Link	Link
$\frac{2}{2}$	rs9652490	(A;A)	~2x increased risk for Parkinson's disease: and		Link	1311111
$\frac{2}{2}$	rs9954153	(G;T)	~2.5x higher risk for Fuchs' dystrophy: a corne		211111	
$\frac{2}{2.0}$	rs17221417	$(G, \Gamma)$	1.9x higher risk for Crohn's disease		Link	
1.8	rs1136287	(C;T)	1.5x increased risk of wet ARMD in a Taiwanese	Link	Link	
1.8	rs2278206	(C,T) $(T;T)$	1.16x increased risk of wet Artino in a Talwanese	Link	Link	
1.8	rs37973	(A;G)	Among asthmatics: 1.5x more likely to show less	THIN	1311111	Link
1.7	rs8055236	(G;T)	1.9x risk for heart disease		Link	1311117
1.6	rs3764880	(A;A)	1.2 - 1.8x increased tuberculosis risk	Link	Link	
1.0	199104000	$(\Lambda,\Lambda)$	1.4 - 1.0A IIICITASCU TUDEICUIOSIS IISK	TIHK	THIIK	

Mag.	Identifier	Genotype	Summary	ExAC	GetEvidence	ClinVar
1.5	rs10260404	(C;T)	1.20x risk of developing ALS		Link	
1.5	rs10492519	(A;G)	Slightly increased risk of developing prostate			
1.5	rs12210050	(C;T)	Slightly higher risk for basal cell carcinoma		Link	
1.5	rs13149290	(C;C)	Slightly increased risk of developing prostate			
1.5	rs140701	(A;G)	Increased risk for anxiety disorders			
1.5	rs144848	(G;T)	Very slightly increased breast cancer risk	Link	Link	Link
1.5	rs16944	(A;G)	Minorly increased risk of mental illness and os		Link	
1.5	rs1801274	(C;T)	Complex; generally greater risk for cancer prog	Link	Link	Link
1.5	rs1975197	(C;T)	1.3x increased risk of developing restless legs		Link	
1.5	rs1994090	(G;T)	Slightly increased risk of developing Parkinson		Link	
1.5	rs2272127	(C;C)	Associated with herpes and schizophrenia			
1.5	rs2736990	(C;T)	Slightly increased risk of developing Parkinson		Link	
1.5	rs2881766	(T;T)	Slightly increased risk for pregnancy-induced h			
1.5	rs3087243	(A;G)	Increased risk for auto-immune diseases		Link	
1.5	rs309375	(T;T)	Larger mosquito bites			
1.5	rs3212227	(A;A)	1.43x increased risk of developing psoriasis an			
1.5	rs3745516	(A;G)	Slightly increased risk of developing primary b			
1.5	rs3825776	(A;G)	1.3x increased risk for ALS		Link	
1.5	rs393152	(A;A)	Increased risk of both PD and AD	Link	Link	
1.5	rs464049	(C;T)	Increased risk of schizophrenia in limited stud			
1.5	rs4656461	(A;G)	1.5x increased risk for open angle glaucoma			
1.5	rs4785763	(A;C)	1.5x higher risk for melanoma		Link	
1.5	rs4845618	(G;T)	1.7x increased melanoma risk			
1.5	rs4982731	(C;C)	Possible higher risk of childhood acute lymphob			
1.5	rs5746059	(A;A)	Slightly higher fat mass			
1.5	rs6498169	(A;G)	1.14x risk of multiple sclerosis		Link	
1.5	rs6601764	(C;T)	1.16x increased risk of developing Crohn's dise		Link	
1.5	rs6908425	(C;T)	1.63x increased risk of developing Crohn's dise		Link	
1.5	rs699473	(C;C)	~1.5x increased brain tumor risk			
1.5	rs763035	(C;T)	1.2x increased risk for rosacea			
1.5	rs7850258	(G;G)	Slightly higher odds of developing primary hypo			
1.5	rs807701	(C;T)	Slightly increased dyslexia risk			
1.5	rs872071	(A;G)	~1.5x increased risk for chronic lymphocytic le		Link	
1.5	rs9303277	(C;T)	1.46x Slightly increased risk of developing pri			
1.5	rs995030	(G;G)	Non-protective against testicular cancer		Link	
1.4	rs10865331	(A;A)	1.4x higher risk for ankylosing spondylitis		231111	
1.4	rs1126497	(C;T)	1.4x increased risk for breast cancer	Link	Link	Link
1.4	rs12770228	(A;G)	1.4x increased risk for meningioma			
1.4	rs1447295	(A;C)	1.4x increased risk of prostate cancer		Link	
1.4	rs1800693	(G;G)	Slight (1.4x) increase in risk for multiple scl	Link	Link	Link
1.4	rs3131296	(G;G)	1.4x increased risk for schizophrenia		Link	
1.4	rs3184504	(C;T)	Slightly increased risk for celiac disease	Link	Link	
1.4	rs4977756	(G;G)	1.93x higher risk for glioma development		Link	
1.4	rs498872	(T;T)	1.4x higher risk for glioma development		Link	
1.3	rs1375144	(C;T)	1.32x increased risk of developing bipolar diso		-	
1.3	rs1434536	(A;G)	1.29x increased breast cancer risk			
1.3	rs16847548	(C;T)	1.3x increased risk for sudden cardiac death in			
1.3	rs1746048	(C;C)	1.03 increased risk for coronary heart disease		Link	
1.3	rs2024513	(A;G)	1.3x higher risk for schizophrenia (among Han C		-	
1.3	rs2736100	(G;T)	1.3x higher risk for glioma development: 2.1x r		Link	
1.3	rs34330	(C;T)	1.3x higher risk for endometrial cancer (in Chi			
1.3	rs356219	(A;G)	1.3x increased risk for Parkinson's disease			
1.3	rs4958847	(A;G)	1.3x increased risk for Crohn's disease			
1.25	rs13387042	(A;A)	1.24x increased risk for breast cancer		Link	
1.25	rs748404	(T;T)	Slightly increased risk (1.25) for lung cancer		Link	
1.20	10140404	$(\mathbf{I},\mathbf{I})$	busing mereased risk (1.20) for lung cancel		THIII	

Mag.	Identifier	Genotype	Summary	ExAC	GetEvidence	ClinVar
1.2	rs11037909	(T;T)	1.47x type II diabetes risk	Link		
1.2	rs143383	(C;T)	1.1x increased risk for osteoarthritis		Link	Link
1.2	rs2056116	(A;G)	1.18x risk for breast cancer			
1.2	rs2814707	(A;G)	1.2x increased risk for ALS		Link	
1.2	rs35677470	(A;G)	2x higher risk for scleroderma	Link	Link	
1.2	rs3740878	(A;A)	1.46x type II diabetes risk; common	Link		Link
1.2	rs3849942	(A;G)	1.2x increased risk for ALS		Link	
1.2	rs6010620	(A;G)	1.2x higher risk for glioma development: 1.17x		Link	
1.2	rs8050136	(A;C)	1.2x increased risk for T2D in some populations		Link	
1.17	rs17465637	(A;C)	1.17x higher risk for myocardial infarction	Link	Link	
1.17	rs3802842	(A;C)	1.17x increased risk of colorectal cancer		Link	
1.1	rs11110912	(C;C)	1.3x high blood pressure risk			
1.1	rs1344706	(G;T)	1.1x increased risk for schizophrenia		Link	
1.1	rs249954	(C;T)	Potentially increased risk of Breast Cancer			Link
1.1	rs2653349	(G;G)	2-6x increased risk for cluster headaches	Link	Link	
1.1	rs2828520	(G;G)	1.35x major depressive disorder risk			
1.1	rs34516635	(G;G)	Less longevity for Ashkenazi Jewish women.	Link		Link
1.1	rs3818361	(C;T)	1.15x increased risk for late-onset Alzheimer's			
1.1	rs4324715	(C;T)	1.5x increased testicular cancer risk for men			
1.1	rs688034	(C;T)	1.1x risk higher risk for coronary artery disea		Link	
1.1	rs6897876	(C;T)	Slight increase in testicular cancer risk for m			
1.1	rs7171755	(A;G)	Very slight decrease in cortical thickness and			
1.1	rs7412	(C;C)	More likely to gain weight if taking olanzapine	Link	Link	Link
1.1	rs925391	(C;C)	More likely to go bald; common			
1.05	rs2291834	(C;T)	Very slightly higher risk for myocardial infarc			
1	rs2273697	(A;G)	Adverse reaction more likely to carbamazepine i	Link	Link	Link
1	rs2546890	(A;G)	Higher risk of multiple sclerosis			
1	rs3194051	(A;A)	>1.1x risk of type-1 diabetes	Link	Link	Link
1	rs5743289	(T;T)	Risk for IBD		Link	Link
1	rs6932590	(T;T)	1.1x increased risk for schizophrenia		Link	
1	rs6974491	(A;G)	Higher risk of coeliac and/or inflammatory bowe			
1	rs761100	(G;G)	Higher risk for dyslexia			
0.1	rs601338	(A;G)	Susceptible to Norovirus infections	Link	Link	Link
0	rs10761659	(A;A)	1.5x risk of Crohn's disease		Link	
0	rs1128503	(T;T)	Likely to require more methadone during heroin	Link	Link	Link
0	rs3761418	(A;A)	1.3x increased risk for depression			
0	rs3813929	(C;C)	Possible weight gain if taking olanzapine		Link	Link
0	rs4238010	(G;G)	Highly correlated risk factor for major depress		Link	
0	rs4293393	(T;T)	1.25x Increased Risk of CKD for T allele in			
0	rs4795400	(T;T)	If 4 years old or younger: ~2.5x increased asth		Link	
0	rs6277	(C;C)	1.6x higher schizophrenia risk	Link	Link	Link
0	rs6314	(C;C)	Higher risk for RA	Link	Link	
0	rs6684865	(A;A)	1.5x risk of rheumatoid arthritis			
-		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			1	1

#### 3.3 Genosets (Multi-variant Phenotypes)

Magnitude	Identifier	Summary
3.5	gs253	Pseudocholinesterase Deficiency carrier
3	gs241	Lighter green: brown or hazel eye color
2.9	gs192	MTHFR polymorphisms affecting homocysteine
2.5	gs155	CYP3A5 non-expressor
2.5	gs281	Part of the 88% of the population claimed not t
2.5	gs285	You will lose 2.5x as much weight on a low fat
2	gs101	Probably able to digest milk
2	gs154	NAT2 Slow metabolizer
2	gs173	CYP2D6*10
2	gs246	APOE3/APOE3
1.5	gs185	The beta blocker metoprolol is effective with 1
1.5	gs247	Parkinson's Disease Risk
1.2	gs184	Able to taste bitterness.
1	gs163	CYP2D6*2A
0	gs158	CYP1A2 normal metabolizer

#### 4 Raw Data

The raw data used to create this report has been assigned the identifier ERS1176577 in the European Nucleotide Archive (ENA) hosted at the European Bioinformatics Institute (EBI).

These data will not be accessible unless the report is approved. This will happen by default one month after the report is issued, or if the report is approved for immediate release within the one month period. Participants can also withdraw from the study at any time in which case the report and the data will not be released and will be deleted.

If the data has already been released, it can be accessed at: http://www.ebi.ac.uk/ena/data/view/ERS1176577

# 5 Report Metadata

Resource	Version	Website
Genome	GRCh38	Link
BWA	0.7.12	Link
SAMtools	1.3	Link
GATK	3.4-46	Link
PLINK	v1.90b3.35	Link
VEP	88	Link
SNPedia	30-Jul-2017	Link
ExAC	v0.3.1	Link
GetEvidence	$16 ext{-} ext{Dec-}2016$	Link
ClinVar	16-Dec-2016	Link

Table 5: Analysis Pipeline Versions

Report generated on August 2, 2017.