

PGP-UK Genomics Report for uk28996F

1 Summary

This is the genome report was produced using collaborative research tools, including SNPedia and GetEvidence. This section shows an overview of all the small variants which were found in the genome for this individual, when compared with a reference genome. These variants are summarised in Table 1 and the pie-charts in Figures 2, 3 and 4.

This report was generated automatically and is not clinically approved. It is provided for personal and research purposes only.

This document contains hyperlinks, shown in grey, that will take you to external websites where you can find more detailed explanations. Some of the technical terms are also explained in more detail in the [Ensembl Glossary](#). We would welcome your feedback about this report, for example, if you would like more information about anything or if any of the links have become inactive. You can contact us on: pgp-uk@ucl.ac.uk.

This summary shows an overview of all the variants which were found in the genome for this individual. The "variants remaining after filtering" refers to any differences in the DNA identified when compared to the reference genome. Of these, the majority will have already been found in some other sequenced individual and put on a database (existing variants) while others have not yet been annotated (novel variants).

"Overlapped genes" refers to the number of times where a variant was found in a region of the genome containing a gene. The diagram in Figure 1 is a simplification of the usual gene structure. "Exon" refers to the part of the gene which goes on to form a protein, and variants in this part of the gene are more likely to cause changes in the shape of the protein. Upstream, downstream, intronic and intergenic variants are more likely to alter the regulation of that gene but will not change the protein itself.

A transcript for a protein-coding gene can include the exons, introns and other gene features that are transcribed and important for gene function but might not be translated into the final protein. Not all transcripts are for protein-coding genes, with many containing non-coding RNAs that can be overlapping other genes, in introns or in intergenic regions.



Figure 1: Diagram of gene structure indicating locations of potential variants

Feature	Count
Lines of input read	4912441
Variants filtered out	0
Novel / existing variants	459175 (9.4) / 4441274 (90.6)
Overlapped genes	56635
Overlapped transcripts	67394
Overlapped regulatory features	166692

Table 1: Variant calling summary

There are several different types of genomic variants. The most common change is when one single building block of the DNA (called a nucleotide) is changed, called a single nucleotide variants (SNV). Other variant types include insertions, where the DNA in the individual is longer than the reference sequence due to the insertion of one or more nucleotides; and deletions, where a few nucleotides are missing compared to the reference sequence.

Some of these changes will have no effect on the protein, while some changes may alter the protein function to varying degrees. The PolyPhen analysis software attempts to quantify the effect each mutation will have on the protein function. This ranges from "benign" where no change to the protein function is expected, to "probably damaging" where it is predicted that the mutation will affect protein function. It is nevertheless important to note that what is "damaging" for the protein is not necessarily damaging for the individual.




Figure 2: PolyPhen Summary




Figure 3: Variant Class




Figure 4: Consequence type

2 Ancestry

This plot shows the distribution of the genomes of different populations. Data from several studies which used whole genome sequencing was used to see the relationships between the genomes of the populations. It shows how closely related certain populations are genetically: Groups which cluster closely are more genetically similar than groups which are further apart. The black star symbol shows where this PGP-UK participant sits in relation to other populations, indicating their ancestry and their most closely related populations according to genetic sequence.

Based on the populations defined in the 1000 genomes project (1kGP), the ancestry composition for this individual is inferred to be 100.0 percent European [British in England and Scotland].

Please note that this analysis is limited by the populations available in the 1kGP data. If there are European subpopulations reported, and the ancestry of the participant does not correspond to any of the 1kGP populations, the closest 1kGP sampled subpopulation will be shown (even though it might be different from the participant's actual ancestry).




Figure 5: Ancestry Principal Component Analysis

3 Traits (based on SNPedia information)

Existing research has associated many variants with phenotypic traits, some of which can be perceived as beneficial while others appear to have a harmful effect. Some traits are complex and can be affected by several variants. It is likely that some of these would confer a higher risk while others a lower risk of trait manifestation. These can not be combined linearly to produce an actual risk of disease.

It is important to note that in most cases genomic data is probabilistic, not deterministic- i.e. having a genetic predisposition for a disease is not a diagnosis; rather, it shows an increased likelihood of developing that disease. Also, one person can have both potentially beneficial and harmful variants in the same gene, or associated with the same disease.

Some variants can also affect certain populations more, or will only affect a particular gender. For example, a variant for higher risk of endometriosis in the sequence of a male will not directly affect that person, but can be passed on to descendants.

While many traits are the result of a unique variant, many are the combination of several variants throughout the genome. In SNPedia, these are called *genosets*. These can integrate some of the information already present in the single variant tables, or be the combination of variants that have no phenotypic effect on their own, but contribute to a trait when together.

The variants in the following tables are sorted by magnitude. This is an subjective measure defined in SNPedia to highlight the perceived importance of the genotype described. At the moment this scale goes from 0 to 10. You can read more about it by visiting their explanatory [webpage](#).

As our knowledge grows, the interpretation of the effect of certain variants might change. Clicking on the links in the genome report tables will take you to websites containing more information about each variant.

3.1 Possibly Beneficial Traits

Mag.	Identifier	Genotype	Summary	ExAC	GetEvidence	ClinVar
3	rs7294919	(C;T)	Moderately enhanced hippocampal volume			
2.1	rs3775291	(A;G)	0.71x decreased risk for dry age related macula...	Link	Link	Link
2.1	rs6505162	(A;A)	0.43x decreased risk for esophageal cancer	Link		
2.1	rs6897932	(T;T)	0.70x decreased risk for multiple sclerosis	Link	Link	Link
2	rs1012053	(A;C)	0.625x reduced risk of Bipolar Disorder.		Link	
2	rs10503669	(A;C)	Associated with higher HDL cholesterol		Link	
2	rs11045585	(A;A)	24% chance (lower than average) of docetaxel-in...		Link	
2	rs1136410	(C;T)	0.80x reduced risk for glioblastoma	Link	Link	
2	rs12678919	(A;G)	Associated with higher HDL cholesterol		Link	
2	rs12979860	(C;C)	~80% of such hepatitis C patients respond to tr...		Link	Link
2	rs1799884	(G;G)	Mothers have typical Birth-Weight babies. Sligh...			
2	rs1864163	(A;G)	Associated with higher HDL cholesterol		Link	
2	rs2542052	(C;C)	Better odds of living to 100			
2	rs25487	(A;A)	0.7x lower risk for skin cancer	Link	Link	Link
2	rs3736309	(G;G)	0.44x decreased risk for chronic obstructive pu...			
2	rs3738579	(C;T)	0.5x decreased risk for cervical cancer: HNSCC:...			
2	rs3750817	(C;T)	0.78x reduced risk for breast cancer			
2	rs3764261	(G;T)	Associated with higher HDL cholesterol		Link	Link
2	rs3819331	(T;T)	Lower risk of autism	Link		
2	rs3914132	(C;T)	Lower otosclerosis risk		Link	
2	rs4585	(G;G)	Slightly higher (1.35x) odds of good metformin ...			
2	rs763110	(C;T)	~0.80x reduced cancer risk			Link
2	rs7776725	(T;T)	Stronger bones		Link	
2	rs9272346	(A;G)	0.3x risk type-1 diabetes		Link	
2	rs9525638	(C;C)	Stronger bones			
1.8	rs1128535	(A;G)	0.77x risk for Crohn's disease			
1.8	rs266729	(C;G)	0.73x decreased risk for colorectal cancer		Link	

Mag.	Identifier	Genotype	Summary	ExAC	GetEvidence	ClinVar
1.5	rs11212617	(C;C)	Somewhat increased likelihood of treatment succ...			Link
1.5	rs16991615	(A;G)	Slight increase (11 months) in avg age at menop...	Link	Link	
1.5	rs3851179	(A;G)	0.85x decreased risk for Alzheimer's disease		Link	
1.5	rs4149274	(C;T)	Associated with higher HDL (good) cholesterol			
1.5	rs4939883	(C;C)	Associated with higher HDL cholesterol		Link	
1.5	rs5968255	(C;C)	Slower AIDS progression (8 years)			
1.5	rs9939609	(T;T)	Lower risk of obesity and Type-2 diabetes		Link	
1.4	rs1165205	(A;T)	0.85x decreased gout risk		Link	
1.4	rs4320932	(G;G)	0.74x decreased risk for ovarian cancer			
1.4	rs6700125	(C;C)	0.7x decreased risk for ALS			
1.2	rs4686484	(G;G)	Slightly decreased risk for celiac disease			
1.2	rs6048	(A;G)	Slightly lower risk (10-20%) of deep vein throm...	Link	Link	Link
1.2	rs9306160	(C;T)	0.75x (reduced) risk for metastasis in LN-/ER+ ...	Link	Link	
1.1	rs10166942	(C;T)	0.85x lower risk for migraines			
1.1	rs11172113	(C;T)	0.9x lower risk for migraines			
1.1	rs2293347	(G;G)	Among NSCLC patients: better Gefitinib response...	Link		Link
1.1	rs7568369	(G;T)	0.90x reduced risk of obesity			
1	rs182549	(C;T)	Can digest milk.			Link
1	rs800292	(C;T)	1% decreased risk of macular degeneration	Link	Link	Link
1.0	rs6583817	(C;T)	~0.80x (lower) risk for late onset Alzheimer's ...			
0.5	rs36094464	(A;T)	Most likely benign: though reported years ago t...	Link	Link	Link
0	rs1047781	(A;A)	ABH blood group "Secretor" status if Japanese	Link	Link	Link
0	rs12252	(T;T)	More resistant to influenza	Link		Link
0	rs16990018	(A;A)	PrP Codon 171 Asn - Non-pathogenic variant	Link		Link
0	rs17244841	(A;A)	More responsive to statin treatment		Link	Link
0	rs1799782	(C;C)	Lower risk for skin cancer	Link	Link	
0	rs1799883	(A;A)	Two copies of the Thr allele in the FABP2 is as...	Link	Link	Link
0	rs1799945	(C;C)	Not a H63D hemochromatosis carrier.	Link	Link	Link
0	rs1800562	(G;G)	Not a C282Y hemochromatosis carrier.	Link	Link	Link
0	rs242941	(G;G)	Better response to inhaled corticosteroid in pa...		Link	
0	rs28933385	(G;G)	Prion protein Codon 200 (E) - Non pathogenic va...			Link
0	rs5065	(A;A)	1.12x risk on diuretic; if hypertensive: better...	Link	Link	Link
0	rs6259	(G;G)	Best inverse correlation between tea-drinking; ...	Link	Link	
0	rs74315403	(G;G)	PrP codon 178 (D) - non pathogenic variant			Link
0	rs7495174	(A;A)	Blue/gray eyes more likely		Link	
0	rs9951307	(A;G)	0.10 decreased risk for brain edema after a str...			

3.2 Possibly Harmful Traits

Mag.	Identifier	Genotype	Summary	ExAC	GetEvidence	ClinVar
3.5	rs199826652	(-;TCT)	Carrier for the most common cystic fibrosis mut...			
3.5	rs6920220	(A;A)	1.7x risk of Rheumatoid Arthritis		Link	
3.5	rs7574865	(T;T)	1.69x risk of rheumatoid arthritis; 2.4x risk o...		Link	Link
3	rs10897346	(C;C)	If depressed: 2.6x more likely to not respond t...			
3	rs13266634	(C;C)	Increased risk for type-2 diabetes	Link	Link	Link
3	rs2306402	(C;T)	1.18x increased risk for late-onset Alzheimer's...			
3	rs2981582	(C;T)	1.3x higher risk of ER+ breast cancer		Link	
3	rs3903239	(C;C)	Higher frequency of atrial fibrillation			
2.7	rs10830963	(C;G)	Increased type-2 diabetes risk; higher gestatio...		Link	
2.5	rs1057910	(A;C)	CYP2C9*3 carrier; average 40% reduction in warf...	Link	Link	Link
2.5	rs11190870	(T;T)	Possibly even more increased risk of scoliosis			
2.5	rs12803066	(A;G)	Increased risk of myopia			
2.5	rs16847548	(C;C)	2.6x increased risk for sudden cardiac death in...			
2.5	rs1799971	(A;G)	Stronger cravings for alcohol. if alcoholic: na...	Link	Link	Link
2.5	rs187238	(G;G)	Hypertension increases risk 3.75x for sudden ca...			
2.5	rs2004640	(T;T)	1.4x increased risk for SLE		Link	Link
2.5	rs2254958	(C;C)	1.61x increased risk for Alzheimer's			
2.5	rs2943634	(C;C)	Slightly higher risk of ischemic stroke		Link	
2.5	rs3738919	(C;C)	1.94x risk of developing rheumatoid arthritis			
2.5	rs664143	(T;T)	Higher risk for number of cancers			
2.5	rs891512	(A;G)	Higher blood pressure than G;G	Link		
2.3	rs7966230	(C;G)	Slightly lower levels of plasma VWF			
2.2	rs2231137	(G;G)	~1.5-3x increased risk for ischemic stroke	Link	Link	Link
2.1	rs10427255	(C;C)	Highest odds of photic sneeze reflex			
2.1	rs11887534	(C;G)	2x increased risk for gallstones	Link	Link	Link
2.1	rs17070145	(C;C)	Reduced memory abilities			Link
2.1	rs17077540	(A;G)	1.6x major depressive disorder risk			
2.1	rs3746444	(C;C)	~1.2x increased risk for cancer	Link		
2.1	rs4430796	(A;A)	1.38x increased risk for prostate cancer		Link	
2.1	rs6742078	(T;T)	+16% bilirubin levels increased risk of gallsto...		Link	Link
2.1	rs795484	(A;G)	Increased morphine dose requirement and postope...			
2.1	rs944289	(C;T)	1.3x increased thyroid cancer risk		Link	
2	rs10096097	(G;G)	Increased Anorexia Nervosa risk			
2	rs10248420	(A;A)	7x less likely to respond to certain antidepres...		Link	
2	rs10306114	(A;G)	Higher risk of bleeding during coronary angiogr...			Link
2	rs1045642	(C;T)	Slower metaboliser for some drugs	Link	Link	Link
2	rs1050152	(C;T)	2.1x increased risk of Crohn's disease	Link	Link	Link
2	rs10513789	(G;T)	Increased risk of Parkinson's disease			
2	rs10811661	(C;T)	1.2x increased risk for type-2 diabetes		Link	
2	rs10883365	(G;G)	1.62x increased risk for developing Crohn's dis...		Link	
2	rs10984447	(A;G)	1.17x increased risk for multiple sclerosis		Link	
2	rs1160312	(A;G)	1.6x increased risk of Male Pattern Baldness.		Link	
2	rs11983225	(T;T)	7x less likely to respond to certain antidepres...		Link	
2	rs1219648	(A;G)	1.20x risk for breast cancer		Link	
2	rs12567232	(A;G)	Increased risk for Crohn's Disease		Link	
2	rs12696304	(C;G)	Prone to aging faster: at least in European pop...			
2	rs13254738	(A;C)	1.18x prostate cancer risk		Link	
2	rs1360780	(C;T)	1.3x increased risk for depression		Link	
2	rs1537415	(G;G)	2x increased risk for periodontitis		Link	
2	rs16942	(A;G)	Very slightly increased breast cancer risk	Link	Link	Link
2	rs17001266	(-;C)	1.58x increased risk for schizophrenia in males...			
2	rs1734791	(A;A)	1.4x increased risk for lupus			
2	rs17576	(A;G)	Higher risk for MI and lung cancer: and COPD in...	Link	Link	

Mag.	Identifier	Genotype	Summary	ExAC	GetEvidence	ClinVar
2	rs17696736	(A;G)	1.34x risk of type-1 diabetes		Link	
2	rs2070672	(G;G)	CYP2E1*7_-352A>G homozygote			
2	rs2070676	(G;G)	CYP2E1*1B homozygote			
2	rs2073963	(G;T)	Increased risk of baldness			
2	rs2143340	(C;T)	Increased risk of dyslexia and poor reading per...			
2	rs2201841	(C;T)	1.5x increased risk for Crohn's disease; 2x inc...		Link	
2	rs2230199	(C;G)	1.6x+ risk of ARMD	Link	Link	Link
2	rs2235015	(G;G)	Somewhat less likely to respond to certain anti...	Link	Link	
2	rs2235040	(G;G)	7x less likely to respond to certain antidepres...	Link	Link	
2	rs2235067	(G;G)	7x less likely to respond to certain antidepres...			
2	rs2274223	(A;G)	1.5x increased risk for stomach and esophageal ...	Link	Link	Link
2	rs2305795	(A;G)	1.28x higher risk of narcolepsy compared to (G;...			Link
2	rs2420946	(C;T)	1.20x risk for breast cancer			
2	rs2515641	(T;T)	CYP2E1_10463T>C(F421F) homozygote	Link		
2	rs2707466	(G;G)	Weaker bones	Link	Link	
2	rs2736100	(T;T)	Higher risk of Interstitial lung disease: and t...		Link	
2	rs2908004	(C;C)	Weaker bones	Link	Link	
2	rs351855	(C;T)	1.2x increased risk for prostate cancer	Link	Link	Link
2	rs3775948	(G;G)	Slightly higher risk for gout			
2	rs3793784	(C;G)	1.5x risk for ARMD		Link	Link
2	rs3842787	(C;T)	Higher risk of bleeding during coronary angiogr...	Link	Link	
2	rs4148739	(A;A)	7x less likely to respond to certain antidepres...		Link	
2	rs4444903	(A;G)	3.5x risk of hep-cancer in cirrhosis patients; ...			Link
2	rs4633	(C;T)	Higher risk for endometrial cancer	Link	Link	Link
2	rs493258	(G;G)	1.15x risk of Age Related Macular Degeneration			
2	rs4961	(G;T)	1.8x increased risk for high blood pressure	Link	Link	Link
2	rs5174	(A;G)	1.3x increased risk for heart disease	Link	Link	Link
2	rs520354	(A;G)	Increased risk in men for biliary conditions			
2	rs629242	(C;T)	Somewhat higher risk for prostate cancer			
2	rs6441286	(G;T)	1.54x chance of developing primary biliary cirr...		Link	
2	rs6457617	(C;T)	2.3x risk of rheumatoid arthritis		Link	
2	rs663048	(G;T)	Significantly increased risk of developing lung...	Link	Link	
2	rs6896702	(T;T)	Increased risk of developing Parkinson's Diseas...			
2	rs6908425	(C;C)	1.95x increased risk of developing Crohn's dise...		Link	
2	rs6997709	(G;G)	1.5x higher risk for hypertension			
2	rs699	(C;T)	Increased risk of hypertension	Link	Link	Link
2	rs7190458	(A;G)	Slightly higher pancreatic cancer risk	Link		
2	rs7216389	(T;T)	1.5x increased risk for Childhood Asthma.		Link	
2	rs7442295	(A;A)	~4x higher risk for hyperuracemia		Link	
2	rs744373	(C;C)	1.17x risk of Alzheimer's			
2	rs7794745	(A;T)	Slightly increased risk for autism		Link	Link
2	rs7807268	(C;G)	1.3x risk for Crohn's disease		Link	
2	rs828907	(G;T)	Slightly increased risk of bladder cancer and 2...			
2	rs854560	(A;A)	Higher risk for heart disease: diabetic retinop...	Link	Link	Link
2.0	rs28997576	(C;G)	Increased risk for breast cancer: at least in p...	Link	Link	Link
2.0	rs9642880	(T;T)	1.5x increased bladder cancer risk		Link	
1.9	rs7923837	(A;G)	1.6x risk for T2D			
1.8	rs1136287	(C;T)	1.5x increased risk of wet ARMD in a Taiwanese ...	Link	Link	
1.8	rs143383	(T;T)	1.3x increased risk for osteoarthritis		Link	Link
1.8	rs37973	(A;G)	Among asthmatics: 1.5x more likely to show less...			Link
1.6	rs11523871	(A;C)	1.6x increased breast cancer risk for women ove...	Link	Link	
1.6	rs1800450	(A;A)	Mannose binding deficiency but of low clinical ...	Link	Link	Link
1.6	rs2981745	(C;T)	1.6x increased risk for breast cancer in female...			
1.5	rs10260404	(C;T)	1.20x risk of developing ALS		Link	
1.5	rs10464059	(A;G)	Slightly increased risk of developing Parkinson...			

Mag.	Identifier	Genotype	Summary	ExAC	GetEvidence	ClinVar
1.5	rs10492519	(A;G)	Slightly increased risk of developing prostate ...			
1.5	rs10859871	(A;C)	Slight (~1.2x) increase in endometriosis risk			
1.5	rs10980705	(C;T)	2.3x increased risk for knee osteoarthritis			
1.5	rs11171739	(C;T)	1.34x risk of developing Type-1 diabetes		Link	
1.5	rs12210050	(C;T)	Slightly higher risk for basal cell carcinoma		Link	
1.5	rs1223271	(A;G)	Slightly increased risk of developing Parkinson...		Link	
1.5	rs12469063	(A;G)	Slightly increased risk of developing restless ...			
1.5	rs12498742	(A;A)	1.25 increased risk for gout			
1.5	rs13149290	(C;C)	Slightly increased risk of developing prostate ...			
1.5	rs13181	(G;T)	1.12x increased risk for cutaneous melanoma	Link	Link	Link
1.5	rs16944	(A;G)	Minorly increased risk of mental illness and os...		Link	
1.5	rs1801274	(C;T)	Complex; generally greater risk for cancer prog...	Link	Link	Link
1.5	rs1975197	(C;T)	1.3x increased risk of developing restless legs...		Link	
1.5	rs1994090	(G;T)	Slightly increased risk of developing Parkinson...		Link	
1.5	rs2007153	(G;G)	Increased risk of schizophrenia in limited stud...			
1.5	rs2177369	(C;C)	1.5x increased risk for Alzheimer's disease			
1.5	rs2240340	(A;G)	Slightly increased (1.5x) risk for RA	Link		
1.5	rs2241880	(C;T)	1.4x increased risk for Crohn's disease in Cauc...	Link	Link	Link
1.5	rs2272127	(C;C)	Associated with herpes and schizophrenia			
1.5	rs2280714	(A;A)	1.4x increased risk of SLE			
1.5	rs2697962	(A;G)	Slightly increased risk of developing Parkinson...			
1.5	rs2736990	(C;T)	Slightly increased risk of developing Parkinson...		Link	
1.5	rs27388	(A;G)	Slightly increased risk of developing schizophr...			
1.5	rs2881766	(T;T)	Slightly increased risk for pregnancy-induced h...			
1.5	rs3087243	(A;G)	Increased risk for auto-immune diseases		Link	
1.5	rs3212227	(A;A)	1.43x increased risk of developing psoriasis an...			
1.5	rs358806	(A;C)	0.86x increased risk of developing Type-2 diabe...		Link	
1.5	rs3764880	(A;G)	Possible 1.2 - 1.8x increased tuberculosis susc...	Link	Link	
1.5	rs3814570	(C;T)	1.3x increased risk for Crohn's disease with il...			
1.5	rs3825776	(A;G)	1.3x increased risk for ALS		Link	
1.5	rs393152	(A;A)	Increased risk of both PD and AD	Link	Link	
1.5	rs464049	(T;T)	Increased risk of schizophrenia in limited stud...			
1.5	rs4845618	(G;T)	1.7x increased melanoma risk			
1.5	rs486907	(A;G)	1.5x increased prostate cancer risk	Link	Link	Link
1.5	rs5746059	(A;G)	Slightly higher fat mass			
1.5	rs619203	(C;G)	Increases susceptibility to Myocardial Infarcti...	Link	Link	
1.5	rs6435862	(G;T)	1.7x higher risk of aggressive neuroblastoma		Link	
1.5	rs6498169	(A;G)	1.14x risk of multiple sclerosis		Link	
1.5	rs7536563	(A;G)	1.12x risk of multiple sclerosis		Link	
1.5	rs7850258	(G;G)	Slightly higher odds of developing primary hypo...			
1.5	rs9303277	(C;T)	1.46x Slightly increased risk of developing pri...			
1.5	rs9561778	(G;T)	~2x increased risk of adverse drug reactions fr...		Link	
1.5	rs9652490	(A;G)	Slightly increased risk of developing Parkinson...		Link	
1.5	rs995030	(G;G)	Non-protective against testicular cancer		Link	
1.4	rs1126497	(C;T)	1.4x increased risk for breast cancer	Link	Link	Link
1.4	rs12770228	(A;G)	1.4x increased risk for meningioma			
1.4	rs2046210	(C;T)	1.4x increased breast cancer risk		Link	Link
1.4	rs2230201	(A;G)	1.4x risk of lupus	Link		
1.4	rs3131296	(G;G)	1.4x increased risk for schizophrenia		Link	
1.4	rs3184504	(C;T)	Slightly increased risk for celiac disease	Link	Link	
1.4	rs4959039	(A;G)	1.4x higher risk for multiple sclerosis			
1.4	rs6010620	(G;G)	1.4x higher risk for glioma development; but th...		Link	
1.34	rs17465637	(C;C)	1.34x higher risk for myocardial infarction	Link	Link	
1.3	rs1047286	(C;T)	1.3x increased risk for age-related macular deg...	Link	Link	Link
1.3	rs10947262	(C;C)	1.3x increased risk for osteoarthritis			

Mag.	Identifier	Genotype	Summary	ExAC	GetEvidence	ClinVar
1.3	rs1260326	(C;T)	Slightly higher risk for gout	Link	Link	Link
1.3	rs1746048	(C;C)	1.03 increased risk for coronary heart disease		Link	
1.3	rs2059693	(C;T)	1.3x increased risk for testicular cancer			
1.3	rs2295490	(A;G)	1.32x increased risk of early-onset type-2 diab...	Link	Link	
1.3	rs34330	(T;T)	1.2x higher breast cancer risk; 1.3x higher ris...			
1.3	rs356219	(A;G)	1.3x increased risk for Parkinson's disease			
1.2	rs10865331	(A;G)	1.2x higher risk for ankylosing spondylitis			
1.2	rs1800693	(A;G)	Slight (1.2x) increase in risk for multiple scl...	Link	Link	Link
1.2	rs2056116	(A;G)	1.18x risk for breast cancer			
1.2	rs2076295	(G;T)	One copy of the risk allele (G): slightly incre...			
1.2	rs2665390	(C;T)	1.2x increased risk for ovarian cancer			
1.2	rs4324715	(C;C)	>1.5x increased testicular cancer risk for men			
1.2	rs449647	(A;T)	Possibly lower levels of ApoE			
1.2	rs4496877	(T;T)	For type-1 diabetics: 1.6x increased nephropath...			
1.2	rs4795067	(A;G)	Slight increase in risk for psoriatic arthritis...			
1.2	rs4977756	(A;G)	1.39x higher risk for glioma development		Link	
1.17	rs3802842	(A;C)	1.17x increased risk of colorectal cancer		Link	
1.15	rs748404	(C;T)	Very slightly increased risk (1.15) for lung ca...		Link	
1.1	rs11037909	(C;T)	1.27x type II diabetes risk	Link		
1.1	rs11110912	(C;C)	1.3x high blood pressure risk			
1.1	rs11650494	(A;G)	Slightly higher prostate cancer risk			
1.1	rs13387042	(A;G)	1.12x increased risk for breast cancer		Link	
1.1	rs1344706	(G;T)	1.1x increased risk for schizophrenia		Link	
1.1	rs2651899	(A;G)	1.1x higher risk for migraines			
1.1	rs2653349	(G;G)	2-6x increased risk for cluster headaches	Link	Link	
1.1	rs34516635	(G;G)	Less longevity for Ashkenazi Jewish women.	Link		Link
1.1	rs3740878	(A;G)	1.26x type II diabetes risk	Link		Link
1.1	rs688034	(C;T)	1.1x risk higher risk for coronary artery disea...		Link	
1.1	rs7412	(C;C)	More likely to gain weight if taking olanzapine...	Link	Link	Link
1.1	rs925391	(C;C)	More likely to go bald; common			
1.1	rs997669	(G;G)	Very slightly increased (1.18x) increased breas...			
1.07	rs2291834	(C;C)	Very slightly higher risk for myocardial infarc...			
1	rs10504861	(G;G)	Major allele: normal risk of migraine			
1	rs10761659	(A;G)	1.2x risk of Crohn's disease		Link	
1	rs1143674	(A;A)	1.3x increased autism risk	Link		
1	rs2282679	(A;C)	Somewhat lower vitamin D levels			
1	rs2546890	(A;G)	Higher risk of multiple sclerosis			
1	rs3194051	(A;A)	>1.1x risk of type-1 diabetes	Link	Link	Link
1	rs6166	(G;G)	Females slightly more likely to be sterile	Link	Link	Link
1	rs6932590	(T;T)	1.1x increased risk for schizophrenia		Link	
1	rs6974491	(A;G)	Higher risk of coeliac and/or inflammatory bowe...			
1	rs761100	(G;G)	Higher risk for dyslexia			
1.0	rs11246226	(A;A)	Increased risk of schizophrenia in limited stud...		Link	
0.1	rs2070744	(C;C)	Increased prostate cancer risk		Link	Link
0.1	rs601338	(G;G)	Susceptible to Norovirus infections	Link	Link	Link
0	rs1042173	(T;T)	Among alcoholics: likely to be heavier drinkers...			
0	rs1061646	(C;C)	1.16x increased risk for breast cancer	Link		Link
0	rs3761418	(A;A)	1.3x increased risk for depression			
0	rs4293393	(T;T)	1.25x Increased Risk of CKD for T allele in ...			
0	rs6314	(C;C)	Higher risk for RA	Link	Link	
0	rs7787082	(G;G)	7x less likely to respond to certain antidepres...		Link	

3.3 Genosets (Multi-variant Phenotypes)

Magnitude	Identifier	Summary
3.1	gs191	Problem metabolizing NSAIDs
3	gs241	Lighter green: brown or hazel eye color
2.6	gs296	Lower heart attack risk than average
2.5	gs155	CYP3A5 non-expressor
2.5	gs161	CYP2C9 Intermediate Metabolizers
2.5	gs281	Part of the 88% of the population claimed not t...
2.5	gs285	You will lose 2.5x as much weight on a low fat ...
2	gs101	Probably able to digest milk
2	gs154	NAT2 Slow metabolizer
2	gs173	CYP2D6*10
2	gs246	APOE3/APOE3
2	gs249	Parkinson's Disease Risk
1.5	gs185	The beta blocker metoprolol is effective with 1...
1.2	gs184	Able to taste bitterness.
1	gs182	CYP2D6*39
0	gs158	CYP1A2 normal metabolizer

4 Raw Data

The raw data used to create this report has been assigned the identifier ERS1176609 in the European Nucleotide Archive (ENA) hosted at the European Bioinformatics Institute (EBI).

These data will not be accessible unless the report is approved. This will happen by default one month after the report is issued, or if the report is approved for immediate release within the one month period. Participants can also withdraw from the study at any time in which case the report and the data will not be released and will be deleted.

If the data has already been released, it can be accessed at: <http://www.ebi.ac.uk/ena/data/view/ERS1176609>

5 Report Metadata

Resource	Version	Website
Genome	GRCh38	Link
BWA	0.7.12	Link
SAMtools	1.3	Link
GATK	3.4-46	Link
PLINK	v1.90b3.35	Link
VEP	88	Link
SNPedia	30-Jul-2017	Link
ExAC	v0.3.1	Link
GetEvidence	16-Dec-2016	Link
ClinVar	16-Dec-2016	Link

Table 5: Analysis Pipeline Versions

Report generated on August 2, 2017.