

PGP-UK Genomics Report for uk247AEC

1 Summary

This genome report was produced using collaborative research tools, including SNPedia and GetEvidence. This section shows an overview of all the small variants which were found in the genome for this individual, when compared with a reference genome. These variants are summarised in Table 1 and the pie-charts in Figures 2, 3 and 4.

This report was generated automatically and is not clinically approved. It is provided for personal and research purposes only.

This document contains hyperlinks, shown in grey, that will take you to external websites where you can find more detailed explanations. Some of the technical terms are also explained in more detail in the Ensembl Glossary. We would welcome your feedback about this report, for example, if you would like more information about anything or if any of the links have become inactive. You can contact us on: pgp-uk@ucl.ac.uk.

This summary shows an overview of all the variants which were found in the genome for this individual. The "variants remaining after filtering" refers to any differences in the DNA identified when compared to the reference genome. Of these, the majority will have already been found in some other sequenced individual and put on a database (existing variants) while others have not yet been annotated (novel variants).

"Overlapped genes" refers to the number of times where a variant was found in a region of the genome containing a gene. The diagram in Figure 1 is a simplification of the usual gene structure. "Exon" refers to the part of the gene which goes on to form a protein, and variants in this part of the gene are more likely to cause changes in the shape of the protein. Upstream, downstream, intronic and intergenic variants are more likely to alter the regulation of that gene but will not change the protein itself.

A transcript for a protein-coding gene can include the exons, introns and other gene features that are transcribed and important for gene function but might not be translated into the final protein. Not all transcripts are for protein-coding genes, with many containing non-coding RNAs that can be overlapping other genes, in introns or in intergenic regions.




Figure 1: Diagram of gene structure indicating locations of potential variants

Feature	Count
Lines of input read	4947966
Variants filtered out	0
Novel / existing variants	489342 (9.9) / 4447483 (90.1)
Overlapped genes	56696
Overlapped transcripts	67445
Overlapped regulatory features	166546

Table 1: Variant calling summary

There are several different types of genomic variants. The most common change is when one single building block of the DNA (called a nucleotide) is changed, called a single nucleotide variants (SNV). Other variant types include insertions, where the DNA in the individual is longer than the reference sequence due to the insertion of one or more nucleotides; and deletions, where a few nucleotides are missing compared to the reference sequence.

Some of these changes will have no effect on the protein, while some changes may alter the protein function to varying degrees. The PolyPhen analysis software attempts to quantify the effect each mutation will have on the protein function. This ranges from "benign" where no change to the protein function is expected, to "probably damaging" where it is predicted that the mutation will affect protein function. It is nevertheless important to note that what is "damaging" for the protein is not necessarily damaging for the individual.




Figure 2: PolyPhen Summary




Figure 3: Variant Class




Figure 4: Consequence type

2 Ancestry

This plot shows the distribution of the genomes of different populations. Data from several studies which used whole genome sequencing was used to see the relationships between the genomes of the populations. It shows how closely related certain populations are genetically: Groups which cluster closely are more genetically similar than groups which are further apart. The black star symbol shows where this PGP-UK participant sits in relation to other populations, indicating their ancestry and their most closely related populations according to genetic sequence.

Based on the populations defined in the 1000 genomes project (1kGP), the ancestry composition for this individual is inferred to be 100.0 percent European [British in England and Scotland].

Please note that this analysis is limited by the populations available in the 1kGP data. If there are European subpopulations reported, and the ancestry of the participant does not correspond to any of the 1kGP populations, the closest 1kGP sampled subpopulation will be shown (even though it might be different from the participant's actual ancestry).




Figure 5: Ancestry Principal Component Analysis

3 Traits (based on SNPedia information)

Existing research has associated many variants with phenotypic traits, some of which can be perceived as beneficial while others appear to have a harmful effect. Some traits are complex and can be affected by several variants. It is likely that some of these would confer a higher risk while others a lower risk of trait manifestation. These can not be combined linearly to produce an actual risk of disease.

It is important to note that in most cases genomic data is probabilistic, not deterministic- i.e. having a genetic predisposition for a disease is not a diagnosis; rather, it shows an increased likelihood of developing that disease. Also, one person can have both potentially beneficial and harmful variants in the same gene, or associated with the same disease.

Some variants can also affect certain populations more, or will only affect a particular gender. For example, a variant for higher risk of endometriosis in the sequence of a male will not directly affect that person, but can be passed on to descendants.

While many traits are the result of a unique variant, many are the combination of several variants throughout the genome. In SNPedia, these are called genosets. These can integrate some of the information already present in the single variant tables, or be the combination of variants that have no phenotypic effect on their own, but contribute to a trait when together.

The variants in the following tables are sorted by magnitude. This is an subjective measure defined in SNPedia to highlight the perceived importance of the genotype described. At the moment this scale goes from 0 to 10. You can read more about it by visiting their explanatory webpage.

As our knowledge grows, the interpretation of the effect of certain variants might change. Clicking on the links in the genome report tables will take you to websites containing more information about each variant.

3.1 Possibly Beneficial Traits

Mag.	Identifier	Genotype	Summary	ExAC	GetEvidence	ClinVar
2.4	rs3750817	(T;T)	0.64x reduced risk for breast cancer: and highe...			
2.1	rs2511989	(A;G)	0.63x decreased age-related macular degeneratio...		Link	
2.1	rs3775291	(A;G)	0.71x decreased risk for dry age related macula...	Link	Link	Link
2.1	rs6505162	(A;A)	0.43x decreased risk for esophageal cancer	Link		
2.1	rs806380	(G;G)	Uncommon. lowest odds of cannabis dependence			
2	rs1012053	(A;C)	0.625x reduced risk of Bipolar Disorder.		Link	
2	rs12979860	(C;C)	~80% of such hepatitis C patients respond to tr...		Link	Link
2	rs17070145	(C;T)	Increased memory performance			Link
2	rs1864163	(G;G)	Associated with higher HDL cholesterol		Link	
2	rs2241423	(A;G)	0.79 decreased risk for obesity			
2	rs25487	(A;A)	0.7x lower risk for skin cancer	Link	Link	Link
2	rs3764261	(G;T)	Associated with higher HDL cholesterol		Link	Link
2	rs3819331	(T;T)	Lower risk of autism	Link		
2	rs4073582	(A;A)	Lower risk for gout	Link		
2	rs4149268	(A;G)	Associated with higher HDL cholesterol		Link	
2	rs763110	(C;T)	~0.80x reduced cancer risk			Link
2	rs7776725	(T;T)	Stronger bones		Link	
2	rs8070723	(A;G)	0.18x reduced risk of developing progressive su...			
2	rs9272346	(A;G)	0.3x risk type-1 diabetes		Link	
1.8	rs1128535	(A;G)	0.77x risk for Crohn's disease			
1.8	rs187238	(C;G)	Hypertension not a risk factor for sudden cardi...			
1.8	rs266729	(C;G)	0.73x decreased risk for colorectal cancer		Link	
1.8	rs3814113	(C;T)	0.8x decreased risk for ovarian cancer		Link	
1.8	rs4714156	(C;C)	<0.61x risk for restless legs			
1.8	rs6897932	(C;T)	0.91x decreased risk for multiple sclerosis	Link	Link	Link
1.5	rs1026732	(A;G)	0.70x risk for restless legs		Link	
1.5	rs1063192	(C;T)	0.71x reduced risk of myocardial infarction			

Mag.	Identifier	Genotype	Summary	ExAC	GetEvidence	ClinVar
1.5	rs11136000	(C;T)	0.84x decreased risk for Alzheimer's disease		Link	
1.5	rs11212617	(A;C)	Somewhat increased likelihood of treatment succ...			Link
1.5	rs11635424	(A;G)	0.70x risk for restless legs		Link	
1.5	rs12593813	(A;G)	0.71x risk for restless legs		Link	
1.5	rs3784709	(C;T)	0.71x risk of developing restless legs syndrome...		Link	
1.5	rs3790844	(C;T)	Slightly reduced risk (0.77x) for pancreatic ca...			
1.5	rs3851179	(A;G)	0.85x decreased risk for Alzheimer's disease		Link	
1.5	rs4149274	(C;T)	Associated with higher HDL (good) cholesterol			
1.5	rs4489954	(G;T)	0.69x risk risk of developing restless legs syn...		Link	
1.5	rs4939883	(C;T)	Associated with higher HDL cholesterol		Link	
1.4	rs1165205	(A;T)	0.85x decreased gout risk		Link	
1.4	rs6495446	(C;T)	0.8x reduced risk for chronic kidney disease			
1.2	rs11246226	(A;C)	Decreased risk of schizophrenia in limited stud...		Link	
1.2	rs9306160	(C;T)	0.75x (reduced) risk for metastasis in LN-/ER+ ...	Link	Link	
1.1	rs11172113	(C;T)	0.9x lower risk for migraines			
1.1	rs13333226	(A;G)	Slightly lower risk for hypertension			Link
1.1	rs2293347	(G;G)	Among NSCLC patients: better Gefitinib response...	Link		Link
1.1	rs4988235	(T;T)	Can digest milk			Link
1.1	rs7568369	(G;T)	0.90x reduced risk of obesity			
1	rs182549	(T;T)	Can digest milk.			Link
1	rs7850258	(A;G)	Typical odds of developing primary hypothyroidi...			
0.1	rs1726866	(C;C)	Can taste bitter	Link	Link	Link
0	rs10427255	(T;T)	Lowest odds of photic sneeze reflex			
0	rs1047781	(A;A)	ABH blood group "Secretor" status if Japanese	Link	Link	Link
0	rs1126809	(A;G)	Slight increase in skin cancer risk	Link	Link	Link
0	rs12252	(T;T)	More resistant to influenza	Link		Link
0	rs16990018	(A;A)	PrP Codon 171 Asn - Non-pathogenic variant	Link		Link
0	rs17244841	(A;A)	More responsive to statin treatment		Link	Link
0	rs1799782	(C;C)	Lower risk for skin cancer	Link	Link	
0	rs1799945	(C;C)	Not a H63D hemochromatosis carrier.	Link	Link	Link
0	rs1800562	(G;G)	Not a C282Y hemochromatosis carrier.	Link	Link	Link
0	rs28933385	(G;G)	Prion protein Codon 200 (E) - Non pathogenic va...			Link
0	rs6259	(G;G)	Best inverse correlation between tea-drinking: ...	Link	Link	
0	rs74315403	(G;G)	PrP codon 178 (D) - non pathogenic variant			Link
0	rs7495174	(A;A)	Blue/gray eyes more likely		Link	
0	rs7997012	(A;A)	~18% more likely to respond to citalopram		Link	Link
0	rs9394492	(C;C)	<0.76x risk for restless legs			

3.2 Possibly Harmful Traits

Mag.	Identifier	Genotype	Summary	ExAC	GetEvidence	ClinVar
3	rs10897346	(C;C)	If depressed: 2.6x more likely to not respond to... Increased risk for type-2 diabetes			
3	rs13266634	(C;C)	1.18x increased risk for late-onset Alzheimer's...	Link	Link	Link
3	rs2306402	(C;C)	1.5x - 2x increased risk for cervical cancer: H...			
3	rs3738579	(T;T)	1.3x increased risk for type-2 diabetes		Link	
3	rs7754840	(C;G)	Increased type-2 diabetes risk; higher gestatio...		Link	
2.7	rs10830963	(C;G)	2.6x increased risk for neuroblastoma		Link	
2.6	rs110419	(A;A)	1.67x risk for obesity		Link	
2.5	rs12803066	(A;G)	Increased risk of myopia			
2.5	rs1421085	(C;T)	~1.3x increased obesity risk		Link	Link
2.5	rs2254958	(C;C)	1.61x increased risk for Alzheimer's			
2.5	rs3780374	(A;G)	Substantially increased odds of developing V617...			
2.5	rs5888	(C;T)	3x higher risk for age-related macular degenera...	Link		
2.5	rs664143	(C;T)	Higher risk for number of cancers			
2.5	rs7574865	(G;T)	1.3x risk of rheumatoid arthritis; 1.55x risk o...		Link	Link
2.5	rs891512	(A;G)	Higher blood pressure than G;G	Link		
2.3	rs7966230	(C;G)	Slightly lower levels of plasma VWF			
2.2	rs2004640	(G;T)	1.4x increased risk for SLE		Link	Link
2.2	rs2231137	(G;G)	~1.5-3x increased risk for ischemic stroke	Link	Link	Link
2.2	rs944289	(T;T)	1.69x increased thyroid cancer risk		Link	
2.1	rs10811661	(T;T)	1.2x increased risk for type-2 diabetes		Link	
2.1	rs1329428	(G;G)	2x increased risk for macular degeneration			
2.1	rs1360780	(T;T)	1.3x increased risk for depression		Link	
2.1	rs1695	(G;G)	3.5x asthma risk in certain populations	Link	Link	Link
2.1	rs17563	(C;C)	Risk for otosclerosis	Link	Link	Link
2.1	rs2231142	(A;C)	1.74x increased gout risk; gefinitib takers 4x ...	Link	Link	Link
2.1	rs2494732	(C;C)	Greater odds of cannabis-associated psychosis	Link	Link	
2.1	rs380390	(C;C)	Increased risk for ARMD		Link	
2.1	rs4149056	(C;T)	Reduced breakdown of some drugs; 5x increased m...	Link	Link	Link
2.1	rs4363657	(C;T)	4.5x increased myopathy risk for statin users		Link	
2.1	rs4430796	(A;A)	1.38x increased risk for prostate cancer		Link	
2.1	rs646776	(A;A)	1.2x risk of coronary artery disease		Link	
2.1	rs795484	(A;G)	Increased morphine dose requirement and postope...			
2	rs10086908	(C;T)	1.7x increased risk for prostate cancer			
2	rs1024611	(C;T)	Increased risk of exercise induced ischemia			Link
2	rs10248420	(A;A)	7x less likely to respond to certain antidepres...		Link	
2	rs10488631	(C;T)	2x increased risk of developing SLE; 1.6x incre...		Link	
2	rs10492519	(G;G)	Increased risk of developing prostate cancer			
2	rs1050152	(C;T)	2.1x increased risk of Crohn's disease	Link	Link	Link
2	rs10871777	(A;G)	Adults likely to be 0.22 BMI units higher			
2	rs11045585	(A;G)	63% chance (higher than average) of docetaxel-i...		Link	
2	rs1160312	(A;G)	1.6x increased risk of Male Pattern Baldness.		Link	
2	rs11983225	(T;T)	7x less likely to respond to certain antidepres...		Link	
2	rs12037606	(A;A)	1.52x risk of developing Crohn's disease			
2	rs12696304	(C;G)	Prone to aging faster: at least in European pop...			
2	rs13254738	(A;C)	1.18x prostate cancer risk		Link	
2	rs1333048	(A;C)	1.3x increased coronary artery disease risk			
2	rs1544410	(A;A)	Increased risk of low bone mineral density diso...		Link	
2	rs1585215	(A;G)	2x increased risk for Hodgkin lymphoma			
2	rs16944	(G;G)	Increased risk of mental disorders		Link	
2	rs1734791	(A;A)	1.4x increased risk for lupus			
2	rs17782313	(C;T)	Adults likely to be 0.22 BMI units higher		Link	Link
2	rs1800896	(A;G)	1.6x increased prostate cancer risk			

Mag.	Identifier	Genotype	Summary	ExAC	GetEvidence	ClinVar
2	rs2073963	(G;T)	Increased risk of baldness			
2	rs2201841	(T;T)	2.4x increased risk for Graves' disease		Link	
2	rs2230199	(C;G)	1.6x+ risk of ARMD	Link	Link	Link
2	rs2230201	(G;G)	>1.4x risk of lupus	Link		
2	rs2235015	(G;G)	Somewhat less likely to respond to certain anti...	Link	Link	
2	rs2235040	(G;G)	7x less likely to respond to certain antidepres...	Link	Link	
2	rs2235067	(G;G)	7x less likely to respond to certain antidepres...			
2	rs2383206	(A;G)	1.4x increased risk for heart disease			
2	rs2383207	(A;G)	Increased risk for heart disease			
2	rs2707466	(G;G)	Weaker bones	Link	Link	
2	rs2736100	(T;T)	Higher risk of Interstitial lung disease: and t...		Link	
2	rs2908004	(C;C)	Weaker bones	Link	Link	
2	rs3025039	(C;T)	2.6x increased risk for ARMD in a Taiwanese pop...			
2	rs3129934	(C;T)	Increased risk of Multiple Sclerosis.		Link	
2	rs326	(A;A)	Lower HDL cholesterol		Link	Link
2	rs358806	(C;C)	1.78x increased risk of developing Type-2 diabe...		Link	
2	rs3738919	(A;C)	1.94x risk of developing rheumatoid arthritis			
2	rs3775948	(G;G)	Slightly higher risk for gout			
2	rs3793784	(C;G)	1.5x risk for ARMD		Link	Link
2	rs4148739	(A;A)	7x less likely to respond to certain antidepres...		Link	
2	rs4402960	(G;T)	1.2x increased risk for type-2 diabetes: ~1x ri...		Link	Link
2	rs4444903	(A;G)	3.5x risk of hep-cancer in cirrhosis patients; ...			Link
2	rs4633	(T;T)	Higher risk for endometrial cancer	Link	Link	Link
2	rs4792311	(A;G)	Increased risk of prostate cancer	Link	Link	Link
2	rs493258	(G;G)	1.15x risk of Age Related Macular Degeneration			
2	rs4961	(G;T)	1.8x increased risk for high blood pressure	Link	Link	Link
2	rs5174	(A;A)	1.3x increased risk for heart disease	Link	Link	Link
2	rs629242	(C;T)	Somewhat higher risk for prostate cancer			
2	rs6441286	(G;T)	1.54x chance of developing primary biliary cirr...		Link	
2	rs6457617	(C;T)	2.3x risk of rheumatoid arthritis		Link	
2	rs6601764	(C;C)	1.52x increased risk of developing Crohn's dise...		Link	
2	rs6896702	(T;T)	Increased risk of developing Parkinson's Diseas...			
2	rs6997709	(G;T)	1.2x higher risk for hypertension			
2	rs699	(C;T)	Increased risk of hypertension	Link	Link	Link
2	rs7442295	(A;A)	~4x higher risk for hyperuracemia		Link	
2	rs744373	(C;T)	1.17x risk of Alzheimer's			
2	rs7794745	(T;T)	Slightly increased risk for autism		Link	Link
2	rs7807268	(C;G)	1.3x risk for Crohn's disease		Link	
2	rs7923837	(G;G)	3.2x risk for T2D			
2	rs7961152	(A;C)	1.2x higher risk for hypertension			
2	rs800292	(C;C)	5% higher risk of Age related macular degenerat...	Link	Link	Link
2	rs828907	(T;T)	Increased risk of bladder cancer and 2x risk of...			
2	rs854560	(A;T)	Higher risk for heart disease: diabetic retinop...	Link	Link	Link
2	rs9652490	(A;A)	~2x increased risk for Parkinson's disease: and...		Link	
2	rs965513	(A;G)	1.77x increased thyroid cancer risk		Link	
2	rs9954153	(G;T)	~2.5x higher risk for Fuchs' dystrophy: a corne...			
2.0	rs1434536	(A;A)	1.94x increased breast cancer risk			
2.0	rs2305795	(A;A)	1.64x higher risk of narcolepsy compared to (G;...			Link
2.0	rs4911414	(G;T)	2-4x higher risk of sun sensitivity if part of ...		Link	
2.0	rs9642880	(T;T)	1.5x increased bladder cancer risk		Link	
1.8	rs1136287	(C;T)	1.5x increased risk of wet ARMD in a Taiwanese ...	Link	Link	
1.8	rs143383	(T;T)	1.3x increased risk for osteoarthritis		Link	Link
1.8	rs6700125	(C;T)	1.2x increased risk for ALS			Link
1.6	rs11523871	(A;C)	1.6x increased breast cancer risk for women ove...	Link	Link	
1.6	rs1537415	(C;G)	1.6x increased risk for periodontitis		Link	

Mag.	Identifier	Genotype	Summary	ExAC	GetEvidence	ClinVar
1.6	rs2046210	(T;T)	1.6x increased breast cancer risk in certain wo...		Link	Link
1.6	rs2981745	(C;T)	1.6x increased risk for breast cancer in female...			
1.6	rs3764880	(A;A)	1.2 - 1.8x increased tuberculosis risk	Link	Link	
1.5	rs10757272	(C;T)	1.30x increased risk for Coronary artery diseas...			
1.5	rs10980705	(C;T)	2.3x increased risk for knee osteoarthritis			
1.5	rs11171739	(C;T)	1.34x risk of developing Type-1 diabetes		Link	
1.5	rs1169300	(A;G)	~1.5x increased lung cancer risk			
1.5	rs12431733	(C;T)	Slightly increased risk of developing Parkinson...		Link	
1.5	rs12498742	(A;A)	1.25 increased risk for gout			
1.5	rs13149290	(C;T)	Slightly increased risk of developing prostate ...			
1.5	rs144848	(G;T)	Very slightly increased breast cancer risk	Link	Link	Link
1.5	rs17221417	(C;G)	1.3x higher risk for Crohn's disease		Link	
1.5	rs1801274	(C;T)	Complex; generally greater risk for cancer prog...	Link	Link	Link
1.5	rs1867277	(A;G)	1.5x increased risk for thyroid cancer			
1.5	rs199533	(C;T)	Slightly increased risk of developing Parkinson...	Link		
1.5	rs2241880	(C;T)	1.4x increased risk for Crohn's disease in Cauc...	Link	Link	Link
1.5	rs2272127	(C;C)	Associated with herpes and schizophrenia			
1.5	rs2280714	(A;G)	1.4x increased risk of SLE			
1.5	rs2464196	(C;T)	~1.5x increased lung cancer risk	Link	Link	Link
1.5	rs2736990	(C;T)	Slightly increased risk of developing Parkinson...		Link	
1.5	rs27388	(A;G)	Slightly increased risk of developing schizophr...			
1.5	rs3087243	(G;G)	Increased risk for autoimmune diseases		Link	
1.5	rs309375	(T;T)	Larger mosquito bites			
1.5	rs3212227	(A;A)	1.43x increased risk of developing psoriasis an...			
1.5	rs3745516	(A;G)	Slightly increased risk of developing primary b...			
1.5	rs3790565	(C;T)	Slightly increased risk of developing primary b...			
1.5	rs401681	(C;T)	~1.2x increased risk for several types of cance...		Link	
1.5	rs4027132	(A;G)	1.39x increased risk of developing bipolar diso...			
1.5	rs419788	(A;A)	2.3x risk for lupus	Link		
1.5	rs4626664	(A;G)	1.44x increased risk of developing restless leg...		Link	
1.5	rs464049	(C;T)	Increased risk of schizophrenia in limited stud...			
1.5	rs4785763	(A;C)	1.5x higher risk for melanoma		Link	
1.5	rs4845618	(G;T)	1.7x increased melanoma risk			
1.5	rs5219	(C;T)	1.3x increased risk for type-2 diabetes	Link	Link	Link
1.5	rs5746059	(A;A)	Slightly higher fat mass			
1.5	rs619203	(C;G)	Increases susceptibility to Myocardial Infarcti...	Link	Link	
1.5	rs6435862	(G;T)	1.7x higher risk of aggressive neuroblastoma		Link	
1.5	rs6498169	(A;G)	1.14x risk of multiple sclerosis		Link	
1.5	rs6908425	(C;T)	1.63x increased risk of developing Crohn's dise...		Link	
1.5	rs7341475	(G;G)	1.58x increased schizophrenia risk for women		Link	
1.5	rs7536563	(A;G)	1.12x risk of multiple sclerosis		Link	
1.5	rs7774434	(C;T)	Slightly increased risk of developing primary b...			
1.5	rs872071	(A;G)	~1.5x increased risk for chronic lymphocytic le...		Link	
1.5	rs9303277	(C;T)	1.46x Slightly increased risk of developing pri...			
1.5	rs9561778	(G;T)	~2x increased risk of adverse drug reactions fr...		Link	
1.5	rs966221	(C;C)	1.5x increased stroke risk certain populations			
1.5	rs995030	(G;G)	Non-protective against testicular cancer		Link	
1.4	rs1126497	(T;T)	1.4x increased risk for breast cancer	Link	Link	Link
1.4	rs3131296	(G;G)	1.4x increased risk for schizophrenia		Link	
1.4	rs3184504	(C;T)	Slightly increased risk for celiac disease	Link	Link	
1.4	rs4795067	(G;G)	Slight increase in risk for psoriatic arthritis...			
1.4	rs4959039	(A;G)	1.4x higher risk for multiple sclerosis			
1.4	rs6010620	(G;G)	1.4x higher risk for glioma development; but th...		Link	
1.34	rs17465637	(C;C)	1.34x higher risk for myocardial infarction	Link	Link	
1.3	rs1042713	(A;G)	1.3x increased risk that pediatric inhaler use ...	Link	Link	Link

Mag.	Identifier	Genotype	Summary	ExAC	GetEvidence	ClinVar
1.3	rs1260326	(C;T)	Slightly higher risk for gout		Link	Link
1.3	rs1746048	(C;C)	1.03 increased risk for coronary heart disease		Link	
1.3	rs2024513	(A;G)	1.3x higher risk for schizophrenia (among Han C...			
1.3	rs2059693	(C;T)	1.3x increased risk for testicular cancer			
1.3	rs34330	(C;T)	1.3x higher risk for endometrial cancer (in Chi...			
1.3	rs356219	(A;G)	1.3x increased risk for Parkinson's disease			
1.3	rs4295627	(G;T)	1.36x higher risk for glioma development		Link	
1.25	rs748404	(T;T)	Slightly increased risk (1.25) for lung cancer...		Link	
1.2	rs10865331	(A;G)	1.2x higher risk for ankylosing spondylitis			
1.2	rs11037909	(T;T)	1.47x type II diabetes risk	Link		
1.2	rs1344706	(T;T)	1.2x increased risk for schizophrenia		Link	
1.2	rs1800693	(A;G)	Slight (1.2x) increase in risk for multiple scl...	Link	Link	Link
1.2	rs2076295	(G;T)	One copy of the risk allele (G): slightly incre...			
1.2	rs2252586	(A;G)	1.2x higher risk for glioma development			
1.2	rs2814707	(A;G)	1.2x increased risk for ALS		Link	
1.2	rs3740878	(A;A)	1.46x type II diabetes risk; common	Link		Link
1.2	rs3849942	(A;G)	1.2x increased risk for ALS		Link	
1.2	rs393152	(A;G)	Slight increased risk of both PD and AD	Link	Link	
1.2	rs4977756	(A;G)	1.39x higher risk for glioma development		Link	
1.2	rs6897876	(C;C)	Slight increase in testicular cancer risk for m...			
1.2	rs8050136	(A;C)	1.2x increased risk for T2D in some populations...		Link	
1.2	rs9858542	(A;G)	1.1x risk Crohn's Disease	Link	Link	
1.1	rs11110912	(C;C)	1.3x high blood pressure risk			
1.1	rs13387042	(A;G)	1.12x increased risk for breast cancer		Link	
1.1	rs2295190	(G;T)	Slightly increased risk for ovarian cancer in w...	Link	Link	Link
1.1	rs2651899	(A;G)	1.1x higher risk for migraines			
1.1	rs34516635	(G;G)	Less longevity for Ashkenazi Jewish women.	Link		Link
1.1	rs688034	(C;T)	1.1x risk higher risk for coronary artery disea...		Link	
1.1	rs7412	(C;C)	More likely to gain weight if taking olanzapine...	Link	Link	Link
1.1	rs925391	(C;C)	More likely to go bald; common			
1.1	rs997669	(G;G)	Very slightly increased (1.18x) increased breas...			
1.07	rs2291834	(C;C)	Very slightly higher risk for myocardial infarc...			
1	rs10504861	(G;G)	Major allele: normal risk of migraine			
1	rs1143674	(A;G)	1.3x increased autism risk	Link		
1	rs2228000	(T;T)	Statistically significant: but slight: increase...	Link	Link	Link
1	rs2273697	(A;G)	Adverse reaction more likely to carbamazepine i...	Link	Link	Link
1	rs2546890	(A;A)	Higher risk of multiple sclerosis			
1	rs3194051	(A;A)	>1.1x risk of type-1 diabetes	Link	Link	Link
1	rs6166	(G;G)	Females slightly more likely to be sterile	Link	Link	Link
1	rs6932590	(C;T)	1.1x increased risk for schizophrenia		Link	
1	rs761100	(G;G)	Higher risk for dyslexia			
0.1	rs601338	(A;G)	Susceptible to Norovirus infections	Link	Link	Link
0	rs1004819	(C;C)	1.5x risk of Crohn's disease		Link	
0	rs10239794	(T;T)	>1.3x risk for ALS			
0	rs1042173	(T;T)	Among alcoholics: likely to be heavier drinkers...			
0	rs10761659	(A;A)	1.5x risk of Crohn's disease		Link	
0	rs1128503	(T;T)	Likely to require more methadone during heroin ...	Link	Link	Link
0	rs1495965	(A;A)	1.2x higher risk for spondylitis			
0	rs2296336	(C;C)	2.9x risk of type-1 diabetes			
0	rs3761418	(A;A)	1.3x increased risk for depression			
0	rs3813929	(C;C)	Possible weight gain if taking olanzapine		Link	Link
0	rs6314	(C;C)	Higher risk for RA	Link	Link	
0	rs6684865	(A;A)	1.5x risk of rheumatoid arthritis			
0	rs7787082	(G;G)	7x less likely to respond to certain antidepres...		Link	

3.3 Genosets (Multi-variant Phenotypes)

Magnitude	Identifier	Summary
3	gs241	Lighter green: brown or hazel eye color
2.5	gs155	CYP3A5 non-expressor
2.5	gs281	Part of the 88% of the population claimed not to have the allele
2.5	gs298	Increased surveillance for colorectal cancer recommended
2.4	gs297	Lower heart attack risk than average
2	gs101	Probably able to digest milk
2	gs173	CYP2D6*10
2	gs246	APOE3/APOE3
1.5	gs247	Parkinson's Disease Risk
1.2	gs184	Able to taste bitterness.
1	gs182	CYP2D6*39
0	gs158	CYP1A2 normal metabolizer

4 Raw Data

The raw data used to create this report has been assigned the identifier ERS1176576 in the European Nucleotide Archive (ENA) hosted at the European Bioinformatics Institute (EBI).

These data will not be accessible unless the report is approved. This will happen by default one month after the report is issued, or if the report is approved for immediate release within the one month period. Participants can also withdraw from the study at any time in which case the report and the data will not be released and will be deleted.

If the data has already been released, it can be accessed at: <http://www.ebi.ac.uk/ena/data/view/ERS1176576>

5 Report Metadata

Resource	Version	Website
Genome	GRCh38	Link
BWA	0.7.12	Link
SAMtools	1.3	Link
GATK	3.4-46	Link
PLINK	v1.90b3.35	Link
VEP	88	Link
SNPedia	30-Jul-2017	Link
ExAC	v0.3.1	Link
GetEvidence	16-Dec-2016	Link
ClinVar	16-Dec-2016	Link

Table 5: Analysis Pipeline Versions

Report generated on August 2, 2017.